

BRITISH MADE



HEATING HOMES FOR GENERATIONS



Welcome

An Elgin & Hall fireplace could easily be the most rewarding addition you make to your home and its value. Since the foundation of our parent company in 1963, we have successfully continued to grow from our base in the North East of England. Every design is lovingly created here in the UK.

Over 56 years of continuous innovation and development has provided us with a collection of fires and fireplaces to suit any interior and lifestyle, whilst always adhering to our founding principles of elegance and simplicity. This timeless quality means your chosen fireplace will always be comfortably in agreement with your tastes in furnishing and décor.

You can rest assured that our gas and electric fires are engineered, produced and tested for peak performance and reliability.

Our surrounds are designed to keep up with changing lifestyles and include features which only we can produce thanks to our investment in the latest machinery.

At the same time, we depend on our craft skills to hand finish and polish each marble, limestone or timber piece to perfection. It is this balance of innovation and heritage that makes your Elgin & Hall fireplace uniquely special.

As part of the BeModern® Group we manufacture a range of product in house, to include, surrounds, fires and fireplaces in marble, limestone and timber, as well as steel and cast stoves. Our bathroom range suits both the traditional and contemporary home.



Contents

Welcome	2
Our Commitment	4
Our History	5
Micro Marble Surrounds	6-19
Limestone Surrounds	20-23
Micro Marble Gas Fireplaces	24-31
Micro Marble Electric Fireplaces	32-43
Timber Electric Fireplaces	44-51
Inset Gas Fires	52-65
Inset Electric Fires	66-74
Electric Stoves & Inset Stoves	75-77
Technical Specification	78-81
Arteon by Pryzm	82
Our Brands	 83

Our Commitment

Highest Standards of Quality BeModern® furniture continuous investment means we are recognised as the industry leader:

- Operating to ISO 9001:2015 accreditation
- Working closely with our supply partners to maintain the highest quality of raw materials.
- Investing in new technologies to provide innovative solutions.

Our CSR Policies

We are aware that global climate change threatens the wellbeing of the natural environment and society. agree on cutting greenhouse emissions, as a British manufacturer BeModern® works to minimise our own carbon footprint, cut emissions, reduce waste, recycle and reap the benefits of new, green ways of running a manufacturing business.

Responsible Manufacturing

We are dedicated to minimising the environmental impacts of our manufacturing activities and seek example our 2010 investment of over £1m in an ecoboiler to convert all waste timber into heat for our factories.

Environmental Management

Having been accredited with ISO 14001:2015, the internationally recognised environmental to continually improving the effectiveness of our

Transport

BeModern® logistics department makes thousands of deliveries each year, providing us with an opportunity to reduce the carbon footprint through regularly modernising our fleet to minimise noise and air pollution and training drivers in fuel efficient, safe driving.

FSC® Timber

Wood is a significant material used across many BeModern® products. As demand for forestry products conservation by selecting over 75% of its raw timber from well-managed FSC® (Forest Stewardship Council®) recognised forests and holds full Forest Stewardship Council chain of custody certification.















Our history so far



1963

Business starts as **Modern Trends** manufacturing fire surrounds in Hendon, Sunderland from a 5000sq.ft factory



1964

Business incorporated as BeModern®



1967

Expansion of BeModern® leads them to move to larger premises in Nile Street, South Shields



1970

Continued expansion leads to purpose built premises in Western Approach, South Shields



1982

BeModern® moves into the retail sector with the acquisition of Academy Crafts selling kitchen



αΩΩ

BeModern® celebrates 25 years as a British manufacturer



2001

BeModern® acquires current Shaftsbury Avenue site and commences manufacture of marble surrounds (later extended in 2004 & 2013)



2006

BeModern® acquired design and product rights of Elgin & Hall - manufacturing hand painted, individually crafted fire surrounds in our Marcraft factory



2009

BeModern® acquires **Broseley** in Shropshire, to extend product choice into multifuel, woodburning, electric and gas stoves (later moved to Jarrow Head Office 2019)



2012

Broseley Stoves now manufactured at our Shaftsbury Avenue site



2013

BeModern® celebrates 50 years as a British manufacturer



2014

BeModern® headquarters move from Western Approach in South Shields after 44 years to Bedesway Jarrow after a major £1m makeover



2018

Elgin & Hall's Pryzm range is developed and released



2019

BeModern® successfully exhibit at the Hearth & Home show with a vast range of new product



2020

Elgin & Hall will continue to develop first class product and remain at the forefront of the fireplace industry



2021

Pryzm range is developed further and the Arteon fire range is released

Micro Marble Surrounds

Micro marble is a reconstituted mix of real marble pieces which are crushed and compacted together using resin to ensure a smooth surface finish.

This beautiful material has to be seen to be believed and to be fully appreciated first hand. The craftsmanship we devote to producing fireplaces in our UK workshops is matched by innovation.

Contents

Roesia
Elento
Mosello
Amorina 10
Vitalia1
Odella 12
Odella Inglenook1
Verdena14
Viena1
Eliana10
Sophia 1
Florano18
Timara 19

Hearth Options






Optional Lighting

Smartsense Undermantel LED lighting is available on all our marble surrounds.



Finishes



Our micro marble is available in 3 stunning finishes, Manila, White and White with a Grey slip.





W1120mm 44" H1085mm D400mm W1270mm 50" H1145mm D400mm

Rebate 45mm / 75mm





W1220mm 48" H1115mm D400mm W1320mm 52" H1115mm D400mm

Rebate 45mm / 75mm





W1220mm 48" H1115mm D400mm W1320mm 2" H1115mm D400mm

Rebate 45mm / 75mm





W1270mm 50" H1137mm D400mm

Rebate 45mm / 75mm







Micro Marble Surround

52" Vitalia surround in White micro marble with Smartsense LED lights featuring a 22" Chollerton gas fire in Black Nickel



W1220mm 48" H1080mm D400mm W1320mm 2" H1040mm D400mm

Rebate 45mm / 75mm









W1370mm 54" H1160mm D400mm W1370mm 4" H1235mm D400mm

Rebate 75mm





W1370mm " H1235mm D400mm

Rebate 75mm Inglenook Rear Hearth: W1016mm H20mm D457mm

Inside Leg Opening Width: 856mm Opening Height: 908mm



13



W1220mm 48" H1110mm D400mm W1370mm 4" H1110mm D400mm

Rebate 45mm / 75mm

Back Panel cut out 16" / 22"*







W1220mm 48" H1110mm D400mm W1370mm 4" H1110mm D400mm

Rebate 45mm / 75mm Back Panel cut out 16" / 22"*





W1220mm 48" H1155mm D400mm

W1320mm 52" H1155mm D400mm

Rebate 45mm / 75mm

Back Panel cut out 16" / 22"*







W1170mm 46" H1085mm D400mm W1270mm 50" H1145mm D400mm

Rebate 45mm / 75mm







W1070mm 42" H1050mm D400mm W1220mm 48" H1095mm D400mm

Rebate 45mm / 75mm Back Panel cut out 16"



White & Grey slip





W1070mm 42" H1050mm D400mm W1220mm 48" H1095mm D400mm

Rebate 45mm / 75mm Back Panel cut out 16"



White & Grey slip

Limestone Surrounds

To create a graceful Limestone centrepiece, the quarried stone is expertly selected, cut, carved and smoothed to give your room a splendid feature. Limestone has been sought after down the ages due to its adaptability.

Our Limestone surrounds are manufactured from natural stone resulting in natural variation; this can include shading, veining, crystal markings and fossils. Therefore the Limestone surround you purchase may differ slightly from that shown in this brochure and have its own unique markings. This is the beauty of a natural stone product.

Contents

Colwyn	21
Vitalia	22
Aurolia	22

Hearth Options









Lighting

Smartsense Undermantel lighting is standard on all our Limestone surrounds.



Caring for Limestone

Limestone needs special care and attention. It can stain and is sensitive to acids such as citrus juice, vinegar and household cleaning chemicals.

- Use a mild, neutral cleaner
- Avoid chemical cleaners, wax or polish
- Simply clean with warm water



W1370mm 4" H1170mm D400mm

Rebate 25mm Back Panel cut out 16"

Also available as a surround only (no back panel or hearth)

Limestone



W1320mm 52" H1035mm D400mm

Rebate 75mm Back Panel cut out 16" / 22"

Limestone



W1220mm 48" H1105mm D400mm

Rebate 75mm Back Panel cut out 16"

Limestone

Micro Marble Gas Fireplaces

Pre-Cast or Standard flue solutions

We have engineered a way to fit our highly desirable gas fires into the standard $16 \times 22''$ opening in a UK chimney breast or pre-cast flue, with no building work.

Whichever you prefer, the installation is all the more simple because all the fireplaces are made as a complete single unit. It has taken years of research to develop and perfect this innovative technology which puts Elgin & Hall a step ahead of the market.

Contents

\dele	25
/italia	26
mbleton	27
Vayland	28
Cassius	29
Aariella	30
Orieta	30
arlston	3.

Flue Fit Options



Conventional Class 1



Conventional Class 2



Finishes








Smartslide Control



Super Controllable see page 53

Elsie 900 & 950 - Easy installation guide (see pages 26-31)

















W1370mm H" H875mm D300mm Flue Fit Options
Standard

Conventional | Conventional
Class 1 | Class 2

Heat Output 2.9 / 4.4kW Non Reflective Glass available as optional extra Wide Trim available as optional extra





W1220mm 48" H1080mm D400mm W1320mm 52" H1150mm D400mm Flue Fit Options
Standard

Conventional | Conventional | Class 1 | Class 2

Pre-Cast*

Heat Output 5.1kW







W1320mm 52" H1159mm D400mm Flue Fit Options

Standard

Conventional | Conventional | Class 1 | Class 2 | Pre-Cast*

Heat Output 5.1kW





White & Grey slip




W1320mm 52" H947mm D400mm Flue Fit Options
Standard

Conventional | Conventional
Class 1 | Class 2

Pre-Cast*

Heat Output 4.6kW







W1320mm 52" H967mm D400mm Flue Fit Options
Standard


Conventional | Conventional | Class 1 | Class 2

Pre-Cast*

Heat Output 4.6kW



White & Grey slip



W1220mm 48" H1089mm D400mm

Heat Output 5.1kW

Flue Fit Options

Standard

Brick Chimney Class 1

Pre-fabricated Class 2





W1220mm 48" H1089mm D400mm

Heat Output 5.1kW

Flue Fit Options

Pre-Cast











W1220mm 48" H897mm D400mm Flue Fit Options
Standard

Conventional | Conventional
Class 1 | Class 2

Pre-Cast*

Heat Output 4.6kW





Micro Marble Electric Fireplaces

With a style as beautifully different as the décor and furniture you seek to match, our micro marble electric fireplaces are as individual as you are. Offering 2kW of efficient heat and instant warmth, the flickering flame effect adopts the latest LED technology to produce a play of warming fire like tones that are both realistic and cost effective.

Contents

Cabrina	33
Vistus	34
Alesso	35
Cassius	36
Vitalia	37
Amorina	38
Wayland	38
Embleton	39
Wellsford	40
Farnham	41
Willaston	42
Cotsmore	43

22" Fire Switch Option

A selection of our electric fireplaces now come with multiple fire options. Look for the 22" Switch symbol within the inset electric fires section, from page 68. Bespoke your fireplace to your home.



Flame effect

The flame-effect-only setting gives the impression of radiant logs and flickering flames with a choice of three flame effects and brightness levels without the added heat; perfect for warmer nights. The latest LED technology produces a play of warming fire like tones that are both realistic and cost effective.

Flat to wall fix

This amazing transformation can be fitted in half a day at the most. Because it's electric no chimney or recess is required. It's just a case of simply plugging it in... and let the magic begin.





W1320mm " H1040mm D400mm White



W1220mm 48" H830mm D400mm

Heat Output up to 2kW







W1220mm 8" H1000mm D400mm White



W1320mm 52" H967mm D400mm

Heat Output up to 2kW



White & Grey slip



W1220mm 48" H1080mm D400mm W1320mm 2" H1150mm D400mm

Heat Output up to 2kW







W1270mm 50" H1040mm D300mm

> Heat Output Up to 2kW







W1320mm 52" H947mm D400mm

Heat Output up to 2kW



Manila

White



W1320mm " H1159mm D400mm

Heat Output up to 2kW





White & Grey slip





W1320mm 52" H855mm D300mm

Heat Output up to 2kW

Brushed Steel or Anthracite Trim



Manila



W1120mm 44" H930mm D240/400mm

W1220mm 48" H965mm D240/400mm

Heat Output up to 2kW





Manila



W1320mm 52" H1159mm D400mm

Heat Output up to 2kW





White & Grey slip





Heat Output

up to 2kW





Timber Electric Fireplaces

Our timber electric fireplaces offer the ultimate convenience; they can be installed against any flat wall in any room. These innovative designs are a desirable centrepiece and the 2kW performance provides instant heat when you arrive home, which can supplement the central heating or allow you to heat just one room when the weather is on the cool side.

Contents

Amorina	45
Velino	46
Arana	47
Lavina	48
Wellsford	49
Edwin	50
Drackon	F 1

Flame effect

The flame-effect-only setting gives the impression of radiant logs and flickering flames with a choice of multiple flame effects & brightness levels without the added heat; perfect for warmer nights. The latest LED technology produces a play of warming fire like tones with that are both realistic and cost effective.



7 day Thermostatic Remote Control

An Elgin & Hall inset fire should be effortless to operate. Which is why they come complete with a remote control* to put different levels of heat, light and flame at your fingertips.

*Unless otherwise stated

Flat to wall fix

This amazing transformation can be fitted in half a day at the most. Because it's electric, no chimney or recess is required. It's just a case of simply plugging it in... and let the magic begin.

> FLAT **WALL FIX**




W1270mm 0" H1016mm D300mm

Heat Output up to 2kW

Pearlescent Cashmere





W1320mm 52" H1091mm D350mm

Heat Output up to 2kW

Ash White



W1270mm 50" H1021mm D350mm

Heat Output up to 2kW

Ash White



W1270mm 50" H851mm D350mm

Heat Output up to 2kW

Ash White



Timber Electric Fireplace -

52" Wellsford electric fireplace in Soft White painted finish with Anthracite back panel complete with widescreen electric fire and Brushed Steel trim





W1320mm " H875mm D300mm

Heat Output up to 2kW

Brushed Steel or Anthracite Trim

Pearlescent Cashmere

Soft White



W1320mm 52" H936mm D280mm

Heat Output up to 2kW

Matt Cashmere



W1170mm 46" H990mm D380mm

Heat Output up to 2kW



Soft White & Country Oak

Inset Gas Fires

Once you've selected your new surround, you may choose to give it a warm glowing heart with an Elgin & Hall gas fire.

Our gas fires are controllable and convenient to operate with a discreet Smartslide control mounted on the top side or a manual control and igniter located behind the fret - flame height and heat output is at your control.

Contents

Flue & Engine Introduction	53-55
16" Inset Gas Fires	56-57
Cast Collection	58
16" Chollerton Gas	59
22" Chollerton Gas	60
22" Chollerton Cast Stove Front	61
Calleos 800CF	62-63
Elsie 960BF	64-65

Warranty

We provide a 5 year Warranty* so you can be confident you have purchased and installed a high quality product.

^{*}Terms & conditions apply.

Installation

Current regulations stipulate that all gas fire installations must be carried out by a Registered Gas Safe Engineer.

For information and advice on a Gas Safe Engineer, please contact your local Elgin & Hall retailer.

<u>Servicing</u>

We recommend that all gas fires are serviced annually by a Registered Gas Safe Engineer to ensure continued operation and optimum performance.

This annual service is a condition of our 5 year warranty, and you must be able to show a record of approved servicing to be able to make a claim.

Safety Assurance



Flame Failure Device

All of our gas fires are fitted with a flame monitoring device ensuring that in the event of the flame going out during its operation, the gas supply to the fire is instantly out off



Oxygen Depletion Sensor

For your safety, all our gas fires are fitted with an Oxygen Depletion Sensor. This will shut off the gas supply if the oxygen level in the room is too low or if there is a blockage in the chimney or flue.



Quality Approved

All Elgin & Hall fires are manufactured in accordance with internationally recognised Quality and Environmental Management System Standards ISO 9001:2015 and ISO 14001:2015 guaranteeing responsible working and product quality.

Accessories



Xtra Canopy

The Xtra canopy kit* "tunes" the appliance to your flue to raise the efficiency by up to 8% on an open fronted fire.

*Available on Slimline or Deepline Radiant models only



Spacer Kit

The spacer kit fits to the rear of the fire to reduce the depth by 25mm. It is ideal for use with pre-cast flues.



Handle Options

An easy grip* attachment allows those with restricted movement to control the ignition & heat.

Matching colour handles are available in Brass & Chrome. A Black Smartslide handle is supplied as standard with Smartslide models.

*Easy grip handle not suitable for Chollerton gas fire.

Super Controllable



Smartslide Control

The discreet Smartslide control mounted at the top right hand side makes your Elgin & Hall gas fire convenient to operate. To turn the fire on simply press down and release.

Likewise you can turn the fire off by lifting to its top position. The control's second function is to regulate the flame height and heat output.

Smartslide controls give you the freedom to change the fire picture from smouldering to blazing at a touch to suit your mood and desired room temperature.



Manual Control

All our open fronted gas fires are available as manual control. Neatly concealed behind the fret, these controls allow you to regulate your heat output and flame setting before replacing the fret for a sleek finish.

The various types of flue and chimney require different size specifications of gas fire.

Whichever kind your home has, there is an Elgin & Hall gas fire to fit.

Gaze over the next few pages and you will easily identify which one is suitable for your home.



Consider the fit

All of our gas fires require a chimney or flue to conduct expended gases to the exterior. To identify which type your house has and which model of fire will fit (slimline, mid-depth or deepline), check the simple descriptions below.



Brick Chimney Flues Class 1

Easily recognisable from the stack above the roof line (usually with a pot or gas terminal). Once the fire is sealed into the chimney cavity, any harmful gases are expelled up the chimney itself and out of the roof. Any of our gas fires can be installed here.



Pre-Fabricated Flues Class 2

Identifiable by a metal flue and terminal on the roof, this flue system is suitable for all our gas fires. Piping from your flue right down to your fire transports the gasses from the fire and out of the house. Again this flue is suitable for installation with any of our gas fires.



Pre-Cast Flues

Recognisable by a ridge vent on the roof line, and built from concrete or clay blocks, usually within the wall cavity, the expelled gasses are vented through this shallow passage and out of the roof. Pre-cast flues are perfect for our Slimline or Deepline * Radiant gas fires.

* Deepline Radiant fire suitable when installed with a 75mm rebated surround.



Balanced Flue

Identified by a round flue installed directly through an external wall. Our balanced flue fire is completely sealed from the front, allowing air to circulate through the flue to the rear of the fire. Cold air is sucked into the fire to combust and the gasses are expelled via the same point. This fire is highly efficient due to its airtight installation and can be installed without a chimney breast.

Choosing the right engine

Open Fronted

Slimline Radiant

Deepline Radiant

Radiant gas fires pull in cold air through their open front, circulating it over the real flames and emitting it back into the room.



Flue Type	Conventional Class 1 & 2 + Pre-Cast			
Gas Type	Natural Gas			
Efficiency	52% (58% with Xtra canopy)			
Control	Smartslide or Manual			
EEC	F			
EEI (%)	43% (48% Canopy)			
	High	Canopy	Low	Canopy

		1 /			
		High	Canopy		Canopy
Heat	Manual	6.71	-1.3.47	3.5k	W
Input:	Smartslide	6.75kW		3kV	V
Heat	Manual	3.2kW	3.5kW	1.5kW	1.7kW
Output:	Smartslide	J.ZKVV	J.JKVV	1.3kW	1.4kW



Flue Type	Conventional Class 1 & 2 + Pre-Cast*
Gas Type	Natural Gas
Efficiency	52% (55% with Xtra canopy)
Control	Smartslide or Manual
EEC	F
EEI (%)	43% (46% Canopy)

		High	Canopy	Low	Canopy
Heat	Manual	6 75	LAA/	3.5	kW
Input:	Smartslide	6.75kW		3k	W
Heat	Manual	3.2kW	3.4kW	1.5kW	1.6kW
Output:	Smartslide	3.ZKVV	3.4KVV	1.3kW	1.4kW

Deepline Convector

Hot air is transferred through the canopy to circulate the warmth around the room.



Flue Type	Conventional Class 1 & 2
Gas Type	Natural Gas
Efficiency	62%
Control	Smartslide or Manual
EEC	F
EEI (%)	55%

		High	Low
Heat	Manual	6.75kW	3.5kW
Input:	Smartslide		3kW
Heat	Manual	3.8kW	1.8kW
Output:	Smartslide		1.6kW

Glass Fronted

Mid-Depth

Deepline

Chollerton


A panel of ceramic glass prevents air from being sucked up through the front of the fire and directing heat up the chimney, meaning a higher percentage of convected and radiant heat is propelled back into the room.



Flue Type	Conventional Class 1 & 2 + Pre-Cast		
Gas Type	Natural Gas		
Efficiency	82%		
Control	Smartslide		
EEC	D		
EEI (%)	73%		
Heat Input	High 3.7kW	Low 2.5kW	
Heat Output	High 2.7kW	Low 1.7kW	



Flue Type	Conventional Class 1 & 2	
Gas Type	Natural Gas	
Efficiency	87%	
Control	Smartslide	
EEC	С	
EEI (%)	78%	
Heat Input	High 5.3kW	Low 2.7kW
Heat Output	High 4.2kW	Low 2kW



Flue Type	Conventional Class 1 & 2
Gas Type	Natural Gas
Efficiency	16" = 83% 22"= 86%
Control	Smartslide
EEC	16" = C 22" = C
EEI (%)	16" = 77% 22" = 77%


		High	Low
Heat Input:		4.8kW	3kW
Heat Input:	22"	5.3kW	2.7kW
Heat Output:		3.6kW	2.1kW
пеат Опірит.	22"	4.3kW	1.8kW

Balanced Flue Glass Fronted

This glass fronted balanced flue gas fire is pleasingly traditional with a welcome efficiency of 86% and a cosy 3.3kW heat output.

Complete with Balanced Flue Kit.

* When installed with a 75mm rebate surround Energy Efficiency Class (EEC)



Flue Type	Balanced Flue
Gas Type	Natural Gas
Efficiency	86% EEC:C
Control	Smartslide or Manual
FFI (%)	77%

		High	Low
Heat	Manual	4.2kW	2.9kW
Input:	Smartslide	4.2KVV	2.7kW
Heat	Manual	3.3kW	2.1kW
Output:	Smartslide		2kW

16" Inset Gas fires

Our range of gas fires are available with an extensive choice of trims and frets to suit your style. Simply select your preferred collection, then choose your finish.



Fire Engine	(C) Inset Depth	Flue Type	Gas Type	Minimum Aperture in Chimney	Open or Glass Fronted	Xtra Canopy
Slimline Radiant	123mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas			\checkmark
Deepline Radiant	173mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas		Open Fronted	\checkmark
Deepline Convector	198mm	Conventional Class 1 & 2	Natural Gas	W405mm x H555mm		\boxtimes
Mid Depth H.E	128mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas			X
Deepline H.E	198mm	Conventional Class 1 & 2	Natural Gas		Glass Fronted	X
Balanced Flue*	186mm	Balanced Flue	Natural Gas	N/A		\boxtimes

^{*}Includes: Balanced Flue kit

- Exclusive Fascia Collection -

The framework of the Exclusive trim has a flat face with a long bevelled edge that slopes down towards the fire. The trim is broad and slightly accented in profile to complement the four boldly curving bands of the fret.

In Brushed Steel, Brass, Chrome or Black, the harmony of the trim and fret creates a non-fussy but sympathetic note to a stylish interior.

Available finishes:









Black Brass



Devotion Fascia Collection

The distinguishing feature of this range of designs is the Black finished framework bordering either side of the metal trim. This serves to provide a dramatic contrast which accentuates the Chrome, Brass, Nickel or Brushed Steel finish. The fret itself curves slightly outwards to add extra interest.

Available finishes:



Chrome






Brass




Black Nickel







Brushed Steel





The harmony of the trim and cast fret on the Classic gas fire collection offers clean lines yet remains in keeping to a cutting edge interior. A classic in the making – of that you can be confident. Simply select your preferred fire, whether that is Slimline or Deepline, Manual or Smartslide control and add a trim in Black, Brass, Brushed Steel, Black Nickel or Chrome finish. Then choose your Classic fret to complement your style – the Hampden, Belmont and Brantley fret each offers a unique flair and finish.

Choose your Gas Fire Engine complete with Trim —

Exclusive finishes:



Devotion finishes:



Choose your Fret -

Hampden



Chrome



Chrome / Black



Brass / Black



Black Nickel



Exclusive Brass trim with Hampden Brass / Black fret

Belmont



Chrome



Black / Chrome



Brass



Black Nickel



Exclusive Black trim with Belmont Black / Chrome fret

Brantley



hrome



3rass



Black Nickel



Devotion Chrome trim with Brantley Chrome fret

Cast Collection

Experience the look and feel of a real stove with the Cast Stove Front in Matt Black finish. Fixes directly onto our glass fronted gas fires so you can experience the high efficiency and controllable flames with a real stove appearance. Also available as a Cast Stove Front Widescreen Gas fire. (see page 61)

Give your fireplace and room a different aesthetic with the Cast Stove Front gas fire. A heavy cast iron trim finishes these fires to give the desirable appearance of a stove.

A) Width 562mm
B) Height 659mm


Mid Depth H.E

Suitable for Deepline H.E



The Eclipsim Cast Fascia in Matt Black finish with polished detail. Fixes directly onto all our gas fires (excluding Deepline Convector) so you can enjoy the high efficiency and controllable flames with a stylish appearance.

Balanced Flue



—— Eclipsim Cast Fascia




16" Chollerton Gas

With realistic logs, the unique dual burner system allows the fire to be turned to low whilst still retaining an impressive flame height. Reflective black glass back panels offer the best flame picture and an impressive 3.7kW heat output. A choice of trim options and finishes complete this product to perfection.








22" Chollerton Gas Fire


The Chollerton is a stylish glass fronted, high efficiency fire, offering an impressive 86% efficiency. Available in Black Nickel, Brushed Steel or Chrome there is a finish to suit your chosen surround. The Chollerton Gas, a 22" widescreen style for a 16" wide builders opening, requires a 75mm rebated surround.







Fascia Finish	Chrome or Black Nickel
Back Panel Cut Out	W570 x H595mm
Min / Max Output	1.8 / 4.3kW
Control	Smartslide
Efficiency	86% / EEC:C / EEI:77%
Flue Type	Conventional Class 1 & 2
Gas Type	Natural Gas
	<u></u>











22" Chollerton Cast Stove Front


Experience the look and feel of a real stove with the Cast Stove Front in Matt Black finish. Fixing directly onto our Chollerton Widescreen gas fire, you can enjoy the high efficiency and controllable flames with a traditional stove appearance. Requires a 75mm rebated surround.




Fascia Finish	Matt Black	Di
Back Panel Cut Out	W570 x H595mm	T
Min / Max Output	1.8 / 4.3kW	
Control	Smartslide	В
Efficiency	86% / EEC:C / EEI: 77%	
Flue Type	Conventional Class 1 & 2	_
Gas Type	Natural Gas	— A) 1









Calleos 800CF

Inset wall mounted gas fire

The Calleos 800CF is one of the most exciting developments in glass fronted gas fires and is suitable for both conventional class 1 and class 2 flues.

Shown here installed with a Slim or **optional extra Wide* trim**, this gas fire fits directly into a fireplace wall for a minimalistic look. The Calleos 800CF features the latest in under-log dual burner technology and is sure to impress with its stunning fuel bed layout and reflective black glass internal panels.

The unique dual burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

With up to 4.4kW of instant heat, the Calleos 800CF is sure to impress. Indulge in the ultimate luxury and opt for the **optional non-reflective* glass** which will amaze your viewing pleasure, creating the illusion of no glass, simply, crystal clear.



Fascia Finish	Matt Black Slim Trim or optional extra Wide* Trim	A C
Min / Max Output	2.9 / 4.4kW	A) Width 798mm B) Height 415mm
Control	Smartslide	Slim Trim C) Depth 280mm D) Inset Depth 278mm
Efficiency	74.7% / EEC:E	
Flue Type	Conventional Class 1 & 2	$A \longrightarrow C$
Gas Type	Natural Gas	A) Width 857mm
Fascia Options	Matt Black Slim or Wide* trim	B) Height 474mm C) Depth 280mm D) Inset Depth 278mm
Glass Options	Standard or Non Reflective* glass	5) made 3 opti 2 / omini
* Optional Extra		







Elsie 960BF

Balanced Flue inset wall mounted gas fire


The Elsie 960BF balanced flue gas fire is suitable for homes without a chimney. The highly efficient slimline hole in the wall fire can be installed onto any outside wall of the home and generates a contemporary and stylish centrepiece for the room.

This appliance can be installed directly into a cavity wall yet still provides a very deep fuel bed effect for a product of its type. Coupled with a reflective black glass lining, the gas fire delivers a captivating flame effect and beautiful ceramic log layout.

- Inbuilt convector box for cooler wall temperatures
- Balanced flue for cavity wall
- Reflective black glass
- Discreet slide control operation
- Easy to install easy to service
- Deep fuel bed
- Flush fitting



Fascia Finish	Brushed Steel trim
Min / Max Output	2.1 / 4.6kW
Control	Smartslide
Efficiency	86% / EEC:C / EEI: 77%
Flue Type	Balanced Flue
Gas Type	Natural Gas







Inset Electric Fires

Whichever Elgin & Hall micro marble surround you choose, the centre attraction is the fire itself, inset into the back panel.

Whether you are replacing a gas or coal fire or installing a natural focus to a room with no existing fireplace, going electric allows you to connect with clean, instant, efficient and thermostatically controlled heat.

Contents

22" Pryzm Electric - Cast Stove Front	67
22" Pryzm Electric68	8-69
6" Pryzm Electric	0-71
22"-16" Chollerton	2-73
6" Chollerton	74
6" Chollerton Edge	74
nset Stoves	75
Beacon Stove	76
nset Beacon Stove	 77

22" Fire Switch Option

chosen to complement a collection of our electric fireplaces. Look out for the 22" electric fireplaces section from page 34.



Benefits

With an electric fire you don't need to generate heat to enjoy its comforting glow. The LED flame effect only control option, lets you experience it any time of the day or year.

Efficient

Enjoy the convenience of efficient, instantly controllable heat and clean maintenance free living. By itself the LED only effect consumes just 6 watts of energy.



Manual Switches

Are easily accessible with main functions.



7 day Thermostatic Remote Control

An Elgin & Hall inset fire should be effortless to operate. Which is why they come complete with a remote control* to put different levels of heat, light and flame at your fingertips.

*Unless otherwise stated


22" Pryzm Inset Electric Fire - Cast Stove Front

The stunning Cast Stove Front offers a luxury touch to the 22" Pryzm inset electric fire. Finished in Matt Black the Cast Stove Front provides the look and feel of a real stove with the ease of electric. A 7 day programmable thermostatic remote control adds the convenience of controlled heat.



Fascia Finish	Cast Stove front*: Matt Black
Inset Depth Required	140mm
Back Panel Cut Out	W570 x H595mm
Heat Output	Up to 2kW
Control	7 Day Thermostatic Remote Control

^{*} Spacer frame not compatible with Cast Stove Front



B) Height 672mm

C) Depth 205mm

E) Rear Height 565mm


22" Pryzm Inset Electric Fire

There's no denying the visual impact of the 22" Pryzm inset electric fire. The panoramic glass screen ensures optimum flame performance and the glowing ember effect with miniature pebble fuel bed can be truly appreciated. A 7 day programmable thermostatic remote control adds the convenience of controlled heat.






Chollerton Trim	
Fascia Finish	Chollerton: Chrome or Black Nickel
Inset Depth Required	140mm / 75mm (with spacer frame)
Back Panel Cut Out	W570 x H595mm
Heat Output	Up to 2kW
Control	7 Day Thermostatic Remote Control







Edge Trim	
Fascia Finish	Edge: Chrome or Black Nickel
Inset Depth Required	140mm / 75mm (with spacer frame)
Back Panel Cut Out	W570 x H595mm
Heat Output	Up to 2kW
Control	7 Day Thermostatic Remote Control



16" Pryzm Inset Electric Fire


Let the 16" Pryzm inset electric fires transform your home to a new level of contemporary living. The glorious patent pending 5D flame effect and loose logs create a new level of realism. Enjoy the 2kW heat output at your convenience with the 7 day programmable thermostatic remote control. Select your perfect style from a wide choice of fascia's shown below.








	Chollerton: Chrome or Black Nickel	
	Edge: Chrome or Black Nickel	
Facala Finish	Devotion: Chrome, Brushed Steel, Brass or Black Nickel	
Fascia Finish	Classic Devotion + Belmont fret: Chrome, Black, Brass or Black Nickel	
	Classic Devotion + Hampden fret: Chrome, Black, Brass or Black Nickel	
	Classic Devotion + Brantley fret: Chrome, Brass or Black Nickel	
Inset Depth Required	140mm / 75mm (with spacer frame)	
Back Panel Cut Out	W413 x H565mm	
Heat Output	Up to 2kW	
Control	7 Day Thermostatic Remote Control	












16" Pryzm | Inset Electric Fire | elginandhall.co.uk

22" - 16" Chollerton Inset Electric Fire


Our 22" to 16" Chollerton inset electric fire is the perfect solution to fit a 22" cut out back panel which sits against a standard 16" chimney opening. There's no need to make any alterations to your chimney, meaning you can relax and enjoy the warming aesthetic, without costly building work.







* Spacer frame not compatible with Cast Stove Front




16" Chollerton & Edge Inset Electric Fire


The 16" Chollerton inset electric fire is a beautiful addition to any home with its handcrafted log bed and choice of trims, including the Edge. Available with an optional spacer frame to allow simple installation into a 75mm rebate surround.









Inset Stoves














Beacon Stove

A freestanding lightweight stove made from timber, but with the distinct appearance of steel, the Beacon offers an ultra-realistic flame effect and glowing log bed. Conveniently control the 2kW heat output with the 7 day programmable thermostatic remote control.





Matt Black or Ash White
Up to 2kW
7 Day Thermostatic Remote Control
Small or Large
N/A
N/A




Beacon Inset Stove

The compact Beacon inset electric stove has a stylish timber body finished in our perfect Matt Black paint to give it the look of a steel stove. The panoramic window allows a stunning view of the brand new, ultra-realistic flame effect and glowing log bed making it a beautiful addition to any room. With a 45mm rebate making it perfect for any 45mm or 75mm rebated marble or timber surround





Stove Finish	Matt Black
Stove Heat Output	Up to 2kW
Stove Control	7 Day Thermostatic Remote Control
Stove Size	Small or Large
Rebate	45mm
Backpanel Cut Out Required	Will fit a standard 16" back panel cut out



Finishes & Dimensions

Manila	White	White & Grey slip	Limestone	Almond Stone	Ivory	Pearlescent Cashmere	Soft White	Stone	Matt Cashmere	Ash White	Country Oak
А	В	C	D	Е	F	G	Н	1	J	K	1

Micro Marble Surrounds

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Rebate	Smartsense Lights	Hearth Option	Finishes
10	Amorina*	1270mm (50")	1137mm	1270mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
8	Elento	1220mm (48")	1115mm	1220mm	400mm	45mm / 75mm	Optional	SL	С
8	Elento	1320mm (52")	1115mm	1320mm	400mm	45mm / 75mm	Optional	SL	С
16	Eliana	1220mm (48")	1155mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
16	Eliana*	1320mm (52")	1155mm	1320mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
18	Florano	1070mm (42")	1050mm	1070mm	400mm	45mm / 75mm	Optional	SL	В, С
18	Florano	1220mm (48")	1095mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	В, С
9	Mosello	1220mm (48")	1115mm	1220mm	400mm	45mm / 75mm	Optional	SL	С
9	Mosello	1320mm (52")	1115mm	1320mm	400mm	45mm / 75mm	Optional	SL	С
13	Odella - Inglenook†•	1370mm (54")	1235mm	1370mm	400mm*	75mm	Optional	SL	В
12	Odella*	1370mm (54")	1235mm	1370mm	400mm	75mm	Optional	SL	В
12	Odella*	1370mm (54")	1160mm	1370mm	400mm	75mm	Optional	SL	В
_ 7	Roesia	1120mm (44")	1085mm	1120mm	400mm	45mm / 75mm	Optional	SL, FS, BN	В
7	Roesia*	1270mm (50")	1145mm	1270mm	400mm	45mm / 75mm	Optional	SL, FS, BN	В
17	Sophia	1170mm (46")	1085mm	1170mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
17	Sophia*	1270mm (50")	1145mm	1270mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
19	Timara	1070mm (42")	1050mm	1070mm	400mm	45mm / 75mm	Optional	SL	В, С
19	Timara	1220mm (48")	1095mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	В, С
14	Verdena	1220mm (48")	1110mm	1220mm	400mm	45mm / 75mm	Optional	SL	А, В
14	Verdena*	1370mm (54")	1110mm	1370mm	400mm	45mm / 75mm	Optional	SL	A, B
15	Viena	1220mm (48")	1110mm	1220mm	400mm	45mm / 75mm	Optional	SL	А, В
15	Viena*	1370mm (54")	1110mm	1370mm	400mm	45mm / 75mm	Optional	SL	А, В
11	Vitalia	1220mm (48")	1080mm	1220mm	400mm	45mm / 75mm	Optional	SL, FS, BN	A, B
11	Vitalia*	1320mm (52")	1040mm	1320mm	400mm	45mm / 75mm	Optional	SL, FS, BN	А, В

^{*}Back panel available with 22" cut out for installation with the Chollerton gas or electric fires. NB: all of our surrounds are available with Smartsense lights

†Not suitable for solid fuel stoves | • Inglenook rear hearth supplied - 1016x457x20mm | Inglenook Back Panels not supplied

Limestone Surrounds

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Rebate	Smartsense Lights	Back Panel	Hearth	Finish
23	Aurelia	1220mm (48")	1105mm	1220mm	400mm	75mm	As standard	16"	SL	D
21	Colwyn*	1370mm (54")	1170mm	1370mm	400mm	25mm	As standard	16"	BV	D
22	Vitalia	1320mm (52")	1035mm	1320mm	400mm	75mm	As standard	16" or 22"	SL	D

^{*} Also available as a surround only (no back panel or hearth)

Micro Marble Gas Fireplaces

		,							
Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth	Finish	EEC	Efficiency
25	Adele	1370mm (54")	875mm	1370mm	300mm	SL	В	Е	74.7%
29	Cassius	1320mm (52")	967mm	1320mm	400mm	SL	В, С	Е	75.3%
31	Earlston	1220mm (48")	897mm	1220mm	400mm	SL	A, B	Е	75.3%
27	Embleton	1320mm (52")	1159mm	1320mm	400mm	SL	А, В, С	D	83%
30	Mariella	1220mm (48")	1089mm	1220mm	400mm	BV	A, B	D	83%
30	Orieta	1220mm (48")	1089mm	1220mm	400mm	BV	A, B	D	83%
26	Vitalia	1220mm (48")	1080mm	1220mm	400mm	SL	A, B	D	83%
26	Vitalia	1320mm (52")	1150mm	1320mm	400mm	SL	A, B	D	83%
28	Wayland	1320mm (52")	947mm	1320mm	400mm	SL	A, B	Е	75.3%

Micro Marble Electric Fireplaces

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth Option	Finishes	22" Switch
35	Alesso	1220mm (48")	1000mm	1220mm	400mm	SL	A, B	×
38	Amorina	1270mm (50")	1040mm	1270mm	300mm	SL	A, B	√
33	Cabrina	1320mm (52")	1040mm	1320mm	400mm	SL	A, B	x
36	Cassius	1320mm (52")	967mm	1320mm	400mm	SL	В, С	x
43	Cotsmore	1170mm (46")	960mm	1170mm	400mm	SL	A, B	√
39	Embleton	1320mm (52")	1159mm	1320mm	400mm	SL	А, В, С	×
41	Farnham	1120mm (44")	930mm	1120mm	240mm / 400mm	BV	A, B	√
41	Farnham	1220mm (48")	965mm	1220mm	240mm / 400mm	BV	A, B	√
34	Vistus	1220mm (48")	830mm	1220mm	400mm	SL	A, B	x
37	Vitalia	1220mm (48")	1080mm	1220mm	400mm	SL	A, B	×
37	Vitalia	1320mm (52")	1150mm	1320mm	400mm	SL	A, B	×
38	Wayland	1320mm (52")	947mm	1320mm	400mm	SL	A, B	×
40	Wellsford	1320mm (52")	855mm	1320mm	300mm	SL	A, B	×
42	Willaston	1320mm (52")	1159mm	1320mm	400mm	SL	В, С	√

Timber Electric Fireplaces

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth Option	Finishes	22" Switch
45	Amorina	1270mm (50")	1016mm	1270mm	300mm	SL	E, G	×
47	Arana	1270mm (50")	1021mm	1270mm	350mm	SL	K	×
51	Bracken	1170mm (46")	990mm	1170mm	380mm	BN	F, H (+L)	×
50	Edwin	1320mm (52")	936mm	1320mm	280mm	BV	J	×
48	Lavina	1270mm (50")	851mm	1270mm	350mm	SL	K	×
46	Velino	1320mm (52")	1091mm	1320mm	350mm	SL	K	×
49	Wellsford	1320mm (52")	875mm	1320mm	300mm	BV	G, H	×

Inset Gas Fires: Exclusive, Devotion & Classic Collections

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height	EEC
56	Slimline Radiant	510mm	605mm	123mm	352mm	553mm	F
56	Deepline Radiant	510mm	605mm	173mm	403mm	553mm	F
56	Deepline Convector	510mm	605mm	198mm	403mm	553mm	F
56	Mid-Depth High Efficiency	510mm	605mm	128mm	403mm	553mm	D
56	Deepline High Efficiency	510mm	605mm	198mm	403mm	553mm	С
56	Balanced flue*	510mm	605mm	186mm	400mm	550mm	С

^{*} Includeds balanced flue kit

See pages 56-57 for finishes

Inset Gas Fires: Chollerton Gas

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height	EEC
59	16" Chollerton	512mm	611mm	197mm	403mm	555mm	С
60	22" Chollerton	612mm	611mm	195mm	560mm	556mm	С

Inset Gas Fires: Cast Stove Front

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height
58	16" Mid-Depth High Efficiency	562mm	659mm	128mm	403mm	553mm
58	16" Deepline High Efficiency	562mm	659mm	198mm	403mm	553mm
58	16" Balanced flue	562mm	659mm	186mm	400mm	550mm
59	16" Chollerton	562mm	659mm	197mm	403mm	555mm
61	22" Chollerton	668mm	672mm	195mm	560mm	556mm

Inset Gas Fires: Eclipsim Cast Fascia

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height
58	Slimline Radiant	563mm	716mm	123mm	352mm	553mm
58	Deepline Radiant	563mm	716mm	173mm	403mm	553mm
58	Mid-Depth High Efficiency	563mm	716mm	128mm	403mm	553mm
58	Deepline High Efficiency	563mm	716mm	198mm	403mm	553mm
58	Balanced flue	563mm	716mm	186mm	400mm	550mm

Wall Mounted Inset Gas Fire

Page Model	Width	Height	Depth	Inset Depth	Finish	EEC
62-63 Calleos 800CF - Slim Trim	798mm	415mm	280mm	278mm	Matt Black	Е
62-63 Calleos 800CF - Wide Trim	857mm	474mm	280mm	278mm	Matt Black	Е

Wall Mounted Inset Balanced Flue Gas Fire

Page Model	Width	Height	Depth	Inset Depth	Finish	EEC
64-65 Elsie 960 BF	1198mm	666mm	187mm	174mm	Brushed Steel Trim	С

Inset Electric Fires

Page	Model	Trim	Width	Height	Inset Depth	Finish	22" Switch
74	16" Chollerton	Chollerton	512mm	611mm	140mm / 75mm*	Chrome or Black Nickel	×
74	16" Chollerton Edge	Edge	511mm	611mm	140mm / 75mm*	Chrome or Black Nickel	×
	16" Pryzm	Chollerton	512mm	611mm	140mm / 75mm*	Chrome or Black Nickel	×
		Edge	511mm	611mm	140mm / 75mm*	Chrome or Black Nickel	×
70 71		Devotion	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	×
/0-/1		Devotion + Belmont	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	×
		Devotion + Hampden	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	x
		Devotion + Brantley	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	×
	22"-16" Chollerton**	Chollerton	612mm	611mm	140mm / 75mm*	Chrome or Black Nickel	√
72-73		Edge	611mm	611mm	140mm / 75mm*	Chrome or Black Nickel	√
		Cast Stove Front	668mm	672mm	140mm	Matt Black	✓
60.60	22" Pryzm	Chollerton	612mm	611mm	140mm / 75mm*	Chrome or Black Nickel	✓
68-69		Edge	611mm	611mm	140mm / 75mm*	Chrome or Black Nickel	√
67	22" Pryzm	Cast Stove Front	668mm	672mm	140mm	Matt Black	√

 $[\]ast$ 75mm achieved when used with Spacer frame

Inset Electric Stoves

Page	Model	Width	Height	Depth	Inset Depth	Finish
75	Desire	486mm	587mm	238mm	69mm	Matt Black
75	Ora	506mm	597mm	249mm	69mm	Matt Black
75	Ignite	486mm	587mm	236mm	69mm	Matt Black
77	Beacon Small	486mm	599mm	232mm	45mm	Matt Black
77	Beacon Large	586mm	599mm	232mm	45mm	Matt Black

Freestanding Electric Stoves

Pag	e Model	Width	Height	Depth	Finish
76	Beacon Large	586mm	599mm	292mm	Matt Black or Ash White
76	Beacon Small	486mm	599mm	292mm	Matt Black or Ash White




^{**} Spacer required for 16" back panel cut out

Finishes & Dimensions

Manila

























Hearth Options









Slim hearths are 240mm deep, deep hearths are 400mm, unless otherwise stated.



BESPOKE SIZES. Ask your local retailer for more information.

Smartsense Lights



Undermantel Smartsense lighting is available on many of our surrounds

Watch the Video

Scan the QR code below with your mobile phone camera to



Find your local retailer

Once you have chosen your favourite surround, picked the finest fire and measured up to your local showroom.

Admiring these British designed and manufactured fireplaces craftsmanship. Why not take paint charts, fabric samples or photos of your room to match with the surrounds.

If you need advice, you can trust the experience of our independent retailers.

or call us.

elginandhall.co.uk 0191 430 9434



ARTE

NEW BROCHURE - IN STORE OR DOWNLOAD ONLINE



R Y Z M



REVOLUTIONIZING FLAMES

bemodern®

For more information on our other brands, please contact them below.



www.elginandhall.co.uk tel: 0191 430 9434



REVOLUTIONIZING FLAMES

www.elginandhall.co.uk/collection/pryzm tel: 0191 430 9434

BROSELEY

www.broseleyfires.com tel: 0191 489 8006

evolution

www.broseleyfires.com tel: 0191 489 8006



atlantabathrooms.com tel: 0191 428 0444







Contact Us

For more information or to place an order please contact us Tel: 0191 430 9434 | Email: enquiries@elginandhall.co.uk | Visit: www.elginandhall.co.uk

 $BeModern^{\circledast}$ | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern® hold design copyright and registration of design for its product ranges. BeModern® are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern® March 2021 Front cover: Odella Inglenook in White Micro Marble with Heslington electric stove by Evolution.













