



A++

cm 48x52x101 h • 135 kg

PELLET IN-ROOM BOILER

H₂O
11,7 kW

3,3 kW

η
95,9 %

THERMOAURA

4,3-15 kW • 370 m³

ECO DESIGN 2022



PELLET

THERMO

AIR

G.A.S

CHROME PROTECTED

GLASS FIBER CABLE

6x FASTER

HERMETIC COMBUSTION

HERMETIC GLASS FLOW

AUTOMATIC

K
SONDE

INNOVATIVE

HIGH EFFICIENCY

DISPLAY TOUCH

- Front panel and top in cast iron
- Tank cover with opening for plumbing
- Self-cleaning burner
- Safety sensors on door and hopper



TOP IN CAST IRON



TANK COVER WITH OPENING FOR PLUMBING




Avorio

Perla

Bronze

Matt Black

Grey



A++

cm 48x52x101 h • 135 kg

PELLET IN-ROOM BOILER



STYLE 120 PLUS

4,3-15 kW • 370 m³

ECO DESIGN 2022




- Top in cast iron
- Tank cover with opening for plumbing
- Self-cleaning burner
- Safety sensors on door and tank
- Covering in refined majolica



TOP IN CAST IRON



TANK COVER WITH OPENING FOR PLUMBING



Avorio



Bordeaux



Matt Black



Moka





STYLE 140

H₂O
12,8 kW

4,2 kW
 η
95,8 %

STYLE 180

H₂O
17,1 kW

5,2 kW
 η
95,5 %

STYLE 220

H₂O
20 kW

5 kW
 η
91 %

PELLET

THERMO

AIR

C.A.S
AUTOMATIC

CHROME PROTECTED
SONDE

GLASS FIBER CABLE
INNOVATIVE

6x FASTER
HIGH EFFICIENCY

HERMETIC COMBUSTION
DISPLAY TOUCH

HERMETIC GLASS FLOW
DOUBLE GLASS

A+

cm 47x57x111,5 h • 150 kg - STYLE 140
 cm 57x64x115 h • 180 kg - STYLE 180
 cm 57x64x115 h • 180 kg - STYLE 220

STYLE 140

5,8-17 kW • 420 m³

STYLE 180

7,2-22,3 kW • 550 m³

STYLE 220

10-25 kW • 620 m³

- Curved door with double-glazing
- Front panel and top in cast iron
- Self-cleaning burner
- Safety sensors on door and tank

PELLET IN-ROOM BOILER

ECODESIGN
2022

Wi Fi







A+

cm 79x60x87,5 h • 235 kg - INOX
 cm 79x60x87,5 h • 255 kg - MAIOLICA

PELLET RANGE COOKERS

ECODESIGN
2022

SMART 80 INOX SMART 80 MAIOLICA



6,8-22,6 kW • 555 m³

H₂O
19,1 kW

3,5 kW

η
88,1 %



- All plumbing component as standard supply
- Top or rear flue gas outlet according to choice
- Optional hob cover



CAST-IRON HOTPLATE

Avorio	Sabbia	Terra di Siena	Bordeaux	Maya Ocra	Gold	Silver	Nero Lucido
Blu Cielo	Forum Beige	Saxum	Grey Stone	Brown Stone	Canapa		



A+

cm 120x60x87,5 h • 290 kg - INOX
cm 120x60x87,5 h • 330 kg - MAIOLICA

PELLET RANGE COOKERS

ECODESIGN
2022

SMART 120 INOX SMART 120 MAIOLICA



6,8-22,6 kW • 555 m³



- All plumbing components as standard supply
- Safety seal in stainless steel
- Top or rear flue gas outlet according to choice
- Easy-to-clean flue gas pass
- Pellet level sensor on the hopper
- **Cooking oven LxHxD: 280x370x390 mm**



CAST-IRON HOTPLATE



STAINLESS STEEL SEALED OVEN







A+

cm 79x60x87,5 h • 235 kg

PELLET RANGE COOKERS

ECODESIGN
2022



H₂O
19,1 kW

3,5 kW

η
88,1 %

SMART 80 BT

6,8-22,6 kW • 555 m³

- All plumbing components as standard supply
- Safety seal in stainless steel
- Top or rear flue gas outlet according to choice
- Easy-to-clean flue gas pass
- Pellet level sensor on the hopper



CAST-IRON HOTPLATE



OPTIONAL HOB COVER



Crema



Rosso



Matt Black



A+

cm 120x60x87,5 h • 290 kg

PELLET RANGE COOKERS

ECO DESIGN
2022



SMART 120 BT

6,8-22,6 kW • 555 m³

H₂O
19,1 kW

3,5 kW

η
88,1 %



- All plumbing components as standard supply
- Safety seal in stainless steel
- Top or rear flue gas outlet according to choice
- Easy-to-clean flue gas pass
- Pellet level sensor on the hopper
- **Cooking oven LxHxD: 280x370x390 mm**



OPTIONAL HOB COVERS



CAST-IRON HOTPLATE



Crema



Rosso



Matt Black





13,8 kW



86,5 %



A+

cm 94x60x87,5 h • 220 kg - INOX
cm 94x60x87,5 h • 230 kg - MAIOLICA

LOG RANGE COOKERS

VESTA INOX

VESTA MAIOLICA

13,8 kW • 340 m³

- Large hotplate in enamelled cast iron
- Combustion air regulation with thermostatic valve
- Wood drawer
- **Combustion chamber LxHxD: 250x460x340 mm**
- **Cooking oven LxHxD: 380x310x370 mm**



FIREBRICK LINED FIREBOX



STAINLESS STEEL COOKING OVEN





A+

cm 110x60x87,5 h • 350 kg

LOG RANGE COOKERS

ECODESIGN
2022

ALTEA 110

EN 13240 14,7 kW • 365 m³

MAX 29,3 kW • 720 m³



7,8 kW

EN 13240



6,9 kW

EN 13240



89,4 %

EN 13240



22,1 kW

MAX



7,2 kW

MAX



87,7 %

MAX



WOOD



THERMO



SICURO
TOP

INSIDE



GLASS
FIBER CABLE



INNOVATIVE



HIGH
EFFICIENCY




DISPLAY
TOUCH



DOUBLE
CLASS

- SICURO TOP safety system
- Fire door and oven with double ceramic glazing
- "Cold" door handle
- Combustion air regulation with thermostatic valve
- Safety seal in stainless steel
- **Combustion chamber LxHxD: 260x422x422 mm**
- **Cooking oven LxHxD: 350x290x420 mm**



RADIANT CAST IRON


Maximum power obtainable with full load.



ILLUMINATED OVEN IN STAINLESS STEEL



Avorio



Sabbia



Terra di Siena



Bordeaux



Maya Ocra



Gold



Silver




Nero Lucido



Blu Cielo




Forum Beige




Saxum



Grey Stone



Brown Stone



Canapa





A+

cm 110x60x87,5 h • 320 kg

LOG RANGE COOKERS

ECODESIGN
2022



EN 13240



EN 13240



EN 13240



MAX



MAX



MAX




ALTEA GLASS

EN 13240 14,7 kW • 365 m³

MAX 29,3 kW • 720 m³

- Hotplate in cast iron or ceramic glass
- Oven in stainless steel
- “Cold” door handle
- Combustion air regulation with thermostatic valve
- Safety seal in stainless steel
- **Combustion chamber LxHxD: 260x422x422 mm**
- **Cooking oven LxHxD: 350x290x420 mm**

Maximum power obtainable with full load.





SICURO TOP SAFETY SYSTEM





FIRE DOOR WITH DOUBLE GLAZED GLASS

ECOMPACT 190

 18,2 kW	 92,3 %
--	---

cm 112x50x115 h • 320 kg - ECOMPACT 190
 cm 118x57x122 h • 380 kg - ECOMPACT 250 • ECOMPACT 290
 cm 118x57x132 h • 390 kg - ECOMPACT 270 • ECOMPACT 320

ECOMPACT 190

 42 lt	 7 mt
---	---

ECOMPACT 190
 4,2-18,2 kW • 450 m³ **A++**

ECOMPACT 290
 6,0-27,4 kW • 670 m³ **A+**

ECOMPACT 250

 23,4 kW
--

ECOMPACT 290

 27,4 kW
--

ECOMPACT 250
 6,0-23,4 kW • 575 m³ **A+**

 92,9 %



 92,6 %



- Robust steel covering
- Vermiculite and glass fibre insulation
- Sealed combustion
- Top and rear flue connections
- Plumbing connections at the top
- All plumbing equipment included as standard supply
- “Hermetic Brazier Cleaning” system
- “Frontal Clean” system
- Integrated safety sensors
- “Silent” cleaning system
- External room thermostat control

ECODESIGN
2022





 PELLET	 THERMO
--	---

 CHROME PROTECTED	 REMOTE CONTROL
--	---

 GLASS FIBER CABLE	 DISPLAY TOUCH
---	--

 6x FASTER	 EMPTY ALARM
---	--

 AUTOMATIC	 HIGH EFFICIENCY
---	--

 HERMETIC COMBUSTION	 INNOVATIVE
---	---

 TOUCH	 SONDE
---	--

 AUTOMATIC	 HERMETIC BRAZIER	 AUTOMATIC CLEAN
---	---	--



Integration with all other existing conventional heating systems, including underfloor and solar heating systems.



ECOMPACT 190



ECOMPACT 250



ECOMPACT 290





IP 20



 CLASS I

OPTIONAL

PELLET VACUUM SYSTEM

Vacuum operated system with control panel and integrated pellet dispensing unit.

Stands out for its versatility and ease of installation on all new and existing boilers. It is a compact vacuum operated unit with integrated pellet dispenser, designed to keep the pellet tank of biomass fired boilers full at all times. Minimum footprint, easy hookup between dispenser and vacuum system.

Quality, power and reliability.



PELLET STORAGE



HOPPER



SLIDING HOPPER COVER



VACUUM UNIT WITH MOTORISED PORT

IP 40



max 2 pieces

h 600 mm - kg 380 - lt 540

VERTICAL HOPPER EXTENSIONS TO INCREASE HOPPER CAPACITY



Ø 50 mm - L 20 m

TRANSPARENT ANTI-STATIC HOSE



380 x 570 mm

TRAPDUST FILTERING SYSTEM



5 pz.

SPARE BAGS FOR TRAPDUST FILTER



A+

cm 47x57x111,5 h • 180 kg

PELLET UTILITY BOILERS



E-CONNECT 1700

4,5-15 kW • 370 m³

ECODESIGN
2022



- Robust steel covering
- Vermiculite and glass fibre insulation
- Sealed combustion
- Top and rear flue connections
- Plumbing connections at the top
- All plumbing equipment included as standard supply
- “Frontal Clean” system
- Integrated safety sensors
- External room thermostat control





A++ PELLET A+ LEGNA

cm 87x63x110 h • 330 kg

PELLET & LOG DUEL-FUEL BOILERS

ECODESIGN 2022

DUAL

PELLET 4,7-16,1 kW – WOOD 11,3 kW

PELLET+WOOD 27,4 kW • 680 m³



11,2 kW

PELLET



6,5 kW

WOOD



4,8 kW



93 %

PELLET



91,9 %

WOOD



WOOD



PELLET



THERMO



SICURO TOP

INSIDE



CHROME PROTECTED



GLASS FIBER CABLE



6x FASTER



AUTOMATIC



HERMETIC BRAZIER



INNOVATIVE



HIGH EFFICIENCY



DISPLAY TOUCH



DOUBLE GLASS

- All plumbing components as standard supply
- Covering in painted steel and majolica at the top
- Wood combustion air regulation with thermostatic valve
- Safety seal in stainless steel
- "Cold" door handle



FIRE DOOR WITH DOUBLE GLAZED GLASS

Maximum power obtainable with full load.



SICURO TOP SAFETY SYSTEM



Avorio



Sabbia



Terra di Siena



Bordeaux



Silver



Matt Black





A++ PELLET **A+** LEGNA

cm 82x60x108 h • 340 kg

PELLET & LOG DUEL-FUEL BOILERS

ECODESIGN
2022

H₂O
11,2 kW

PELLET

H₂O
6,5 kW

WOOD

4,8 kW

η
93 %

PELLET

η
91,9 %

WOOD

WOOD

PELLET

THERMO

SICURO TOP
INSIDE

CHROME PROTECTED

GLASS FIBER CABLE

AUTOMATIC

HERMETIC BRAZIER

INNOVATIVE

HIGH EFFICIENCY

DISPLAY TOUCH

BI-FIRE MID

PELLET 4,7-16,1 kW - WOOD 11,3 kW

PELLET+WOOD 27,4 kW • 680 m³

- All plumbing components as standard supply
- Covering in painted steel and majolica
- Wood combustion air regulation with thermostatic valve
- SICURO TOP safety system



TWO SEPARATE COMBUSTION CHAMBERS

Maximum power obtainable with full load.



A SINGLE FLUE GAS OUTLET



Avorio



Sabbia



Terra di Siena



Bordeaux




Silver



Matt Black





A++

cm 76,5x68x69,5 h • 180 kg - PFP 160 GLASS
cm 86,5x77x87 h • 250 kg - PFP 240 GLASS

PELLET INSERT BOILER

ECODESIGN
2022



PFP 160 GLASS



PFP 240 GLASS



PFP 160 GLASS

4,4-15,8 kW • 390 m³

PFP 240 GLASS

6,7-24 kW • 590 m³

- Easy pellet loading with handy top drawer
- Removable machine for cleaning and maintenance
- Cast iron brazier
- All plumbing components as standard supply
- Easy-to-clean flue gas pass



Avorio



Bronze



Matt Black



Inox

COLOR CHART




Perla



Bronze



Matt Black



Grey



Avorio




Bordeaux



Moka




Glass



Nero Lucido



Cream Stone



Soap Stone



Wengé



Rovere



Blanc



Rosso

COLOR CHART



Gloss




Sabbia



Terra di Siena



Silver



Maya Ocra




Gold



Blu Cielo




Forum Beige



Saxum



Grey Stone



Brown Stone





Canapa




Crema

MADE IN ITALY  MADE IN KLOVER



klover.it



F U O C O E P A S S I O N E

Klover Srl
Via A. Volta, 8 - 37047 San Bonifacio (Verona) Italy
Tel. +39 045 2235311 - Fax +39 045 2235399
klover@klover.it

klover.it



Firepower

Distributed in the UK and Ireland by Firepower
0844 332 0155

www.firepower.co.uk
info@firepower.co.uk